INDEX TO VOLUME VIII

ABE, KUMANOSUKE, Citrus canker in Japan, 443

Abies lasiocarpa, 115, 116

Abstracts of papers presented at Ninth Annual Meeting of American Phytopathological Society, 68–82

Acrostalagmus sp., 80

Actinomyces chromogenus, 257, 458

Aecidium, columnare, 332; elatinum, 330; ephedrae, 337; ? myrtilli, 329; passifloriicola, 163; ? Pirolae, 335; strobilinum, 337; tubulosum, 163

Agricultural Index, 247

Alfalfa diseases, research projects regarding, 504

Alien property, notes regarding report of, 621

ALLARD, H. A., The mosaic disease of Phytolacca decandra, 51–54

Alternaria, 104; panax, 98; solani, 69, 364, 367, 370; sp., 73; tenuis, 104

AMERICAN PHYTOPATHOLOGICAL SOCIETY, abstracts of papers presented at Ninth Annual Meeting of, 68–82; minutes of business meeting of Pacific Division of, 503; Report of Ninth Annual Meeting of, 178–182

Angular leaf spot of cucumber, 229

Annals of the Phytopathological Society of Japan, 444, 445

Anthracnose, 573, 579; new, on Euonymus japonica, 445; of bean, 451; of cucumber, 79; of onion, 451; of onion sets, 70; resistance of onions to, 70; resistant white marrow bean, 353

Aphides on mosaic-diseased plants, 54

Aplanobacter Stewarti, 440

Aposphaeria brassicae, 390, 429

Apple, bitter rot of, 3; McIntosh variety, drouth injury to, 490; nursery stock, crown gall on, 247; scald, air movement as a factor in the prevention of, 69; Septobasidium pedicellatum on, 215; soft scald of, 68

Armillaria mellea, 215

ARTHUR, J. C., proof of bacterial nature of pear blight by, 3

Aspergillus niger, 472, 481

Aster, Coleosporium solidaginis on, 57

Auriculariaceae, 197, 213

Bacillus amylovorus, on apple branches, 68; pathogenicity of for blossoms of strawberry, 33

Bacteria, cause of disease in plants, idea advanced by Burrill, 3; possible relation of to non-leguminous plants, 4

Bacterial oat blight, 489, 490

Bacterium, citri, susceptibility of Xanthoxylum clava-hercules to, 34; lachrymans, 229; malvacearum, 98, 105; Stewarti, 440; tumefaciens, 362

BAKKE, ARTHUR L., Longevity of Helminthosporium teres, 80

BALL, E. D., see HEADLEE, THOMAS J.

Barberry, eradication of, 450; Verticillium diseases of, 75; Verticillium on, 81

Barley, diseases, 450; Puccinia graminis tritici-compacti on, 142; Rhynchosporium (Marssonia) diseases of, research project regarding, 504

BARRETT, J. T. Thomas Jonathan Burrill, 1–4

BARRUS, MORTIER F., Varietal susceptibility of beans to strains of Colletotrichum lindemuthianum (Sacc. and Magn.) B. and C., 589–605

Bean, anthracnose disease of, 353; diseases, 451; Bean-pod meal for culture media, 445, 446; Wells Red Kidney, immunity of from Colletotrichum lindemuthianum, 531; white marrow, anthracnose-resistant, 353

Beans, diseases of, 503; index to varieties and species inoculated with Colletotrichum lindemuthianum, 605; rust of, 76; varietal susceptibility to strains of Colletotrichum lindemuthianum, 589; varieties of susceptible to mosaic, 530

Beet, curly-leaf disease of 168,
Berberis Thunbergii, Verticillium disease of, 15
BETHEL, ELLSWORTH, see HEDGCOCK, GEO., G., and RHOADS, ARTHUR S.
Betula, Melampsoridium betulinum on, 58
Birch, Melampsoridium betulae on, 59
BISBY, G. R., A Fusarium disease of garden peas in Minnesota (abstract), 77; and Tolaas, Copper sulphate as a disinfectant for potatoes, 240, 241; Minutes of War Emergency Conference of Great Plains Plant Pathologists, 19, 20, 301–303
Bitter rot of apples, Burrill's investigations of, 3
Blackberry, rust of, 27
Black-leg, of cabbage caused by Phoma lingam (Tode) Desmaz, 379; of cabbage, distribution of, 427; of cauliflower, 380; of potato, 450; of rape, 381
Black spot, 573, 579; of cacao, 550; of rose, 20–22
Blight, early, of potato, 450; of tomato, 69; late, of potato, 450; limb, of fig, 24; oat, bacterial, 489; of bean, 451; of spinach, 74; of walnuts, research project regarding control of, 504; Phoma, of red cedar, 33
Blister-rust disease, 35
Blossom end rot of tomato, 538
Botanical abstracts, 172–174; papers, illustrating, 186–190
Botrytis, blight of golden seal, 75; cinerea, 73, 76; parasitica, 75; sp., 24; sp. on geranium, 76
BOYCE, J. S., Perennial mycelium of Gymnosporangium blasdaleanum, 161–167; imbedding and staining of diseased wood, 432–436
BRANN, J. W., see VAUGHAN, R. E.
BROOKS, CHARLES, AND COOLEY, J. S., Air movement as a factor in the prevention of apple scald (abstract), 69; and Fisher, D. F., Soft scald of apples and cherries (abstract), 68
Brown blotch of Kieffer pear, 234; Brown rot of lemons, 45
Bubankia, crotonis, 335; mexicana, 337
Buckeye rot, 573, 580
BURKHOLDER, WALTER H., The production of an anthracnose-resistant white marrow bean, 353–359
BURRILL, THOMAS JONATHAN, biographical sketch of, 1–4
BUTLER, O., On the preservation of phytopathological specimens in their natural colors, 66–68

Cabbage, black-leg disease of caused by Phoma lingam (Tode) Desmaz, 379; diseases, 451; seed, results of inoculations of with Phoma, 394
Cacao, black spot of, 550; diseases and pests of in Ecuador (review), 550; "machete" or cutlass disease of, 550; wet rot of, 550
Caeoma, 337; abietis-canadensis, 328; artica, 328; (Uredo) azaleae, 329; betulinum, 330; bigelowii, 326; conigenum, 337; dubium, 338; medusae, 327; occidentale, 327; strobilina, 337
Calyptospora, 311, 332; columnaris, 115, 117, 332; goeppertiana, 332
Canker of fig, 24, 27
CARPENTER, C. W., A new disease of the Irish potato, 286–287
Castilleja, Peridermium filamentosum on, 73; Peridermium harknessi on, 73
Cauliflower, black-leg disease of, 380
Cedar, dry rot of, 433; incense, witches' brooms on, 161; red, Phoma blight of, 33; white, Gymnosporangium ellisii on, 161; white, Gymnosporangium myricatum on, 161
Cercospora beticola, 119; host limitations of, 120; overwintering of, 120; spread by insects and irrigation water, 132; viability of on dried beet tops fed to animals, 129; viability of on siloed beet tops, 130
Cereal, diseases, discussion of, 449; seed, effect of disinfection on germination of, 248; seed, treatment of for smuts, 502; smuts of, project for control of, 504; Fusarium saprogenesis on, 450
Chaffy spot of pear, 235
Cherry, leaf spot of, 72; soft scald of, 68
Chestnut-blight fungus, spores of on beetles, 366

Chlorosis, leaf, of tomatoes, 534
Chrysomyxa, 335; ledi, 334; ledicola, 334; pirolae, 335; weirii, 311, 335
Cionotirix (Cronartium) praelanga, 339
Citrus, canker, immunity of Satsuma orange to, 443; in Japan (review), 443; on Washington navel orange, 443; treatment of, 443; scab in Japan, 550; trees, Colletotrichum gloeosporioides attacking, 285; trees, lightning injury to, 283
Cladosporium fulvum, 69
Clavaria, muscicola, 209; muscigena, 197; uncialis, 210
Club root of cabbage, 451
Coleosporium, 311; anceps, 339; apocynaceum, 339; arnicale, 339; Begonia, 339; bletinae, 339; campanulae, 320; dahliae, 339; delicatulum, 320; elephantopodis, 311, 321; eupatorii, 339; helianthi, 311, 321; inconspicuum, 322; ipomoeae, 311, 322; laciniaria, 322; madiae, 323; mentzeliae, 339; occidentale, 339; on aster, 313; on Solidago, 313; paraphysatum, 339; pini, 326; plumierae, 339; ribicola, 311, 323 senecionis, 323; solidaginis, 57, 311, 323, 324; sonchi, 325; sonchi-arvensis, 325; steviae, 339; terebinthinaceae, 311, 325; verbesinae, 225, 292, 311, 321, 325; veroniae, 292, 311, 325; viburni, 339; viguierae, 321
Colletotrichum, gloeosporioides, on citrus trees, 285; lindemuthianum, 353; lindemuthianum, immunity of Wells Red Kidney bean from, 531; lindemuthianum on bean pods, 68; lindemuthianum, varietal susceptibility of strains of beans to, 589; phomoides, 573, 579
Comandra, Cronartium pyriforme on, 311
Comptonia peregrina, alternate host for Peridermium comptoniae, 293
Conifers, North American, rusts of, 309; rusts on, 339
COOLEY, J. S., see BROOKS, CHARLES
COONS, G. H., Seed tuber treatment for potatoes, 457–468; see POTTER, ALDEN A.; and SPRAGG, F. A., Resistance and susceptibility of certain wheat varieties to loose smut (abstract), 69
Copper sulphate as a disinfectant for potatoes, 240
Coriolus prolificans, cause of wood rot in peach trees, 616
Corn, diseases, 503; diseases, discussion of, 449; Physoderma on, 39; Physoderma zeae-maydis of, 223; rust, 449; smut, 449; smut following hail, an epidemic of, 584; survey of root rots of, 449
Corticium laetum, 24
Cotton, Alternaria leaf spot of, 98; lightning injuries of, 274; Ozonium omnivorum of, 275
Cronartium 63, 311, 315, 204; cerebrum, 74, 311, 315; cerebrum on Quercus, 59; coleosporioides, 63, 317; coleosporioides on Pedicularis groenlandica, 63; comptoniae, 310, 318; filamentosum, 310, 317; fusiforme, 316; occidentale, 311, 318; on Castilleja, 313; on Grossularia, 312; on Orthocarpus, 313; on Pedicularis, 313; on Quercus, 313; on Ribes, 312; pyriforme, 310, 319; quercus, 315; quercuum, 315; ribicola, 310, 319, 370; ribicola, factors affecting viability of urediniospores of, 289; ribicola, dispersal distance of urediniospores of as indicated by rate of fall in still air, 35; ribicola on white pine, incubation period, 438; ribicola, overwintering of aeciospores of, 619; sp.?, 317
Crown gall on apple nursery stock, 247
Cucumber, angular leaf spot, 79, 229; anthracnose of, 79; lightning injury to, 279; mosaic disease of, 74, 77; white-pickle mosaic disease of, 32
Cucurbits, mosaic disease of, 74, 77
Culture, exchange, 451; media, bean-pod meal for, 445
Cultures, "hanging drop," a new method for making, 447
Curly-leaf disease of beet, 168
Curly top of sugar beets, research project regarding, 504
Currant rust, public school survey for, 294
Currants, quarantines against, 485

Dasheens, a storage fermentation of, 547; Fusarium solani on, 54

DAVIS, J. J., Tilletia on wheat in North Dakota, 247
DEAN, GEO. A., see HEADLEE, THOMAS J.
Diaporthe batatatis, 73
Diplocarpon rosae, 22
Diplodia bataticola, 73; natalensis, 45
Disinfection, effect of on germination of cereal seed, 248
DOOLITTLE, S. P., 299; AND GILBERT, W. W., Further notes on cucumber mosaic disease (abstract), 77
DOSDALL, LOUISE, Overwintering of the aeciospores of Cronartium ribicola Fisher, 619
Drouth injury to McIntosh apple, 490
Dry rot, of cedar, 433; of gladiolus, 71
DUFF, GEORGE H., Some factors affecting viability of the urediniospores of Cronartium ribicola, 289–297
DURRELL, L. W., Factors influencing the uredospore germination of Puccinia coronata (abstract), 81
Dusting experiments, 63; for control of plant diseases, research project regarding methods and materials, 504

Early blight of tomato, 365
EDGERTON, C. W., A study of wilt resistance in the seed bed, 5–14; Bean-pod meal for culture media, 445–446; Delayed ripening of tomatoes caused by spraying with Bordeaux mixture (abstract), 69
EDSON, H. A., Murrill's and Saccardo's names of polypores, compared, by William Alphonso Murrill (review), 300
Eggplant, Verticillium diseases of, 75; Verticillium on, 81; wilt disease of, 15
Elder, Jew's-ear fungus on, 215
Elephantella groenlandica, 63
ELLIOTT, CHARLOTTE, Bacterial oat blight, 489, 490; JOHN A., Nematode injury to sweet potatoes, 169; Wood rots of peach trees caused by Coriolus prolificans and C. versicolor, 616, 617
Elm, Jew's-ear fungus on, 215
Emmer, Fusarium saprogenesis on, 450
Endothoa parasitica, 495
Eocronartium, 197; muscicola, 197; muscicola, synonomy, 212; muscigena, 212; on Hypnaceae, on Leskaceae, 199 typhuloides, 197
Epicoccum sp., 73
Erinose of leitchi, 287
Eriophyes, undescribed species of, 287
Exobasidium, Breviere, 214; vaccinii on Azalea indica, 68
Experiments for the control of black spot and powdery mildew of roses, 20–23
Extension work, 451

Fabraea maculata on quince, 64
Faulwetter, R. C., The Alternaria leaf spot of cotton, 98–105
Fermentation of dasheens, a storage, 547
Fern rusts, Hyalospora, 37
Ferns, Auriculariaceae, 216; Uredinopsis on, 217
Fig, canker, 24; limb blight of, 24
Figs, a Sterigmatocystis smut of, 545; Macrophoma disease of, 24–27
FISHER, D. F., see BROOKS, CHARLES
FITZPATRICK, HARRY M., The life history and parasitism of Eocronartium muscicola, 197–218
Foot rot of cabbage, 380; cauliflower, 380
Forage crops, diseases of, 503
Forest, pathology, war emergency problems in, 503; tree rusts, 115; tree rusts, overwintering of, 54, 59, 551
FRACKER, S. B., Effect of crown gall on apple nursery stock, 247
FROMME, F. D., An automatic spore trap, 542–544; Minutes of the War Emergency Conference of Plant Pathologists of the Central East, 242, 243; Relative susceptibility of beans to rust, 76
Fruit diseases, 451; means of control of, 503
Fruit, Federal inspection of, 155
Fungi, Auriculariaceae on, 216; found in soil at different depths, list of, 472; in plate cultures, method of making permanent mounts of entire colonies of, 446; wood-destroying, 164
Fungicidal and insecticidal dusts, new method of preparing, 503
Fungicides, 451; tests of, Federal rather than State problem, 504
Fungus flora of pine seed beds, 470

Fusarium, acuminatum, 73; batatatis, 73; caudatum, 73; cultures, comparative virulence, 11; disease of garden peas, 77; hyperoxysporum, 73; incarnatum, 73; lancea, 73; orthoceras, 73; orthoceras var. triseptatum, 73; oxysporum, 73; radicicola, 73; saprogenesis, 450; saprogenesis on cereals, 450; on emmer, 450; on grasses, 450; solani, 73; solani on dasheens, 548; sp., 76, 473; wilt of potato, 450; of tomato, 80, 451

Gallowaya, 326; pini, 326
GALLOWAY, BEVERLY T., Some of the broader phytopathological problems in their relation to foreign seed and plant introduction, 87
GARDNER, M. W., AND GILBERT, W. W., Cucumber angular leaf spot and Anthracnose overwintering and seed treatment control, 79; see GILBERT, W. W.; see JONES, L. R.
Geranium, Botrytis sp. on, 76
Gibberella saubinettii, 73
GILBERT, W. W., AND GARDNER, M. W., Seed treatment and overwintering of cucumber angular leaf spot, 229–233; see DOOLITTLE, S. P.; see GARDNER, M. W.; see JONES, L. R.
GILLESPIE, L. J., The growth of the potato scab organism at various hydrogen ion concentrations as related to the comparative freedom of acid soils from the potato scab, 257–269
Ginseng, Ramularia root rots of, 557
Gladiolus, dry rot of, 71
Gloeocystidium praetermissum, 215
Gloesporium filicinum, 214
GODFREY, G. H., Sclerotium rolfsii on wheat, 64–66
Golden seal, Botrytis blight of, 75
Gooseberries, quarantine against, 485
Grain rusts, 450
Grapevines, lightning injury of, 299
Grass seeds, rust on, 169
Grasses, Fusarium saprogenesis on, 450; puccinia graminis-tritici-compacti on, 142
GREGORY, CHAS. T., see WHETZEL, H. H.
Guepinia spathularia, 165
Guignardia aesculi on horse chestnut, 64
GÜSSOW, H. T., A new method for "hanging-drop" cultures, 447; Drouth injury to McIntosh apple (abstract), 490, 491; Microphotography simplified, 447, 448; Observations on obscure potato troubles, 491–495
Gymnoconia interstitialis, 27
Gymnosporangium blasdaleanum, 161, 433; ellisii, 161; juniperi-virginianae, 544; myricatum, 161; sp?, 161

Hail, epidemic of corn smut following, 584
"Halo blight" of oats, 489
HARTER, L. L., AND WEIMER, J. L., A surface storage rot of sweet potatoes (abstract), 73; Storage rots of sweet potatoes (abstract), 73
HARTLEY, CARL, Rhizoctonia as a needle fungus, 62; see RHOADS, ARTHUR A.
HARTMAN, R. E., see JOHNSON, JAMES
HEADLEE, THOMAS J., Report of the special committee appointed to formulate the attitude of the American Association of Official Horticultural Inspectors on the question of prohibiting the importation of nursery stock from foreign countries, 170
Heating and sterilizing outfit for a field laboratory, 436
HEDGCOCK, GEO. G., AND HUNT, N. REX, Notes on Cronartium cerebrum (abstract), 74; BETHEL E., AND HUNT, N. REX, Notes on some Western Uredineae (abstract), 73, 74; see RHOADS, ARTHUR S.
Helicobasidium mompa, 215
Helminthosporium teres, 80
HENDERSON, M. P., The black-leg disease of cabbage caused by Phoma lingam (Tode) Desmaz, 379
Herpobasidium filicinum, 214
HESLER, LEX R., see WHETZEL, H. H.
Heterodera radicicola, 491
HODSON, ROBERT W., A Sterigmatocystis smut of figs, 545, 546
HOERNER, G. R., see Stakman, E. C.
HOLWAY, E. W. D., Infected grass seeds and subsequent rust development, 169
HOPKINS, E. F., The disease of tulips caused by Botrytis parasitica (abstract), 75

HORNE, WM. T., Report of the first War Emergency Conference of the plant pathologists of the West with the Pacific Division of the American Phytopathological Society at Berkeley, California, March 30, 1918, 502–505
Horse chestnut, leaf blotch of, 64
HUBERT, ERNEST E., see WEIR, JAMES R.
HUNGERFORD, CHAS. W., Fourth Annual Conference of Cereal Pathologists, Lafayette, Indiana, June 19–21, 1918, 500
HUNT, N. REX, see HEDGCOCK, GEO. G.
Hyalopsora aspidiotus, 37; polypodii, 37
Hyalopsorae fern rusts, 37
Hymenochaete agglutinans, 165
Hyphomycetes, 71
Hypnaceae, Eocronartium on, 199

Illustrating Botanical papers, 186–190
Insecticidal and fungicidal dusts, new method of preparing, 503
Insecticides, 451
Insects, Auriculariaceae, on, 216; dissemination of Septoria lycopersici by, 365
Inspection service, Federal, 155
Irpex lacteus, 167

JAGGER, I. C., Hosts of the white-pickle mosaic disease of cucumber, 32, 33; Mosaic disease of cucurbits (abstract), 74; and STEWART, V. B., Some Verticillium diseases, 15–19; Some Verticillium diseases (abstract), 75
JEHLE, R. A., Susceptibility of Xanthoxylum clava-herculeS to Bacterium citri, 34, 35
Jew's ear fungus, 215
JOHNSON, JAMES, and HARTMAN, R. E., Influence of soil temperature on Thielavia root rot (abstract), 77
JOHNSON, JAMES, Wilt disease of tobacco attributed to Fusarium, 76
Jola, 213, 217; javensis 214; lasiboli, 214; mahensis, 214
JONES, L. R., Laboratory outlines in plant pathology (review), 60. 61; and GILBERT, W. W., Lightning injury to herbaceous plants, 270–282; and GILBERT, W. W., AND GARDNER, M. W., Lightning injury to crops. Records of observations, 80

KEITT, G. W., Third progress report on investigations of leaf spot of cherries and plums in Wisconsin (abstract), 72
KEMPTON, F. E., and ANDERSON, H. W., Quince rot (abstract), 71
KERN, FRANK D., Field laboratories of the Pennsylvania Agricultural Experiment Station, 621, 622; Report alien property, 621
Kernel smut of sorghum, 71

Laboratories, field, of the Pennsylvania Agricultural Experiment Station, 621, 622
Larix, Razoumofskya laricis on, 63
Lawn grass, Sclerotium disease of, 72
Leaf, blotch of horse chestnut, 64; chlorosis of tomato, 534; disease of nursery stock, 63; mold of tomato, 69; roll of potato, 150; cause of, 517 diagnosis of, 510; losses from in Bermuda, 508; spot, Alternaria, of cotton, 98; spot, angular, of cucumber, 79, 229; spot of cherries, 72; spot of plum, 72
Leak of tomato, 573, 579
LEE, A. ATHERTON, Early occurrence of citrus scab in Japan, 551
Legislation, nursery stock exclusion, 360
Lemon, brown rot of, 45
Leptothyrinum pomi, 235
Leskeaceae, Eocronartium on, 199
Libertella, 25; ulcerata, 24
Lightning injury to citrus trees, 283; to cotton, 274; to crops, 80; to cucumbers, 279; to grapevines, 298; to herbaceous plants, 270; to potatoes, 270; to tobacco, 276; to tomatoes, 280
Limb blight of fig, 24
Lime, Jew's ear fungus on, 215
Limes, market disease of, 45–50
Litchi chinensis, 287; mite disease of, 286
Loose smut, resistance and susceptibility of wheat varieties to, 69
LYMAN, G. R., Minutes of the War Emergency Board of American Plant Pathologists, Washington Conference, 193–195; The relation of phytopathologists to plant disease survey work, 78.

McCLINTOCK, J. A., Spinach blight (abstract), 74
McCUBBIN, W. A., Dispersal distance of urediniospores of Cronartium ribicola as indicated by their rate of fall in still air, 35–36
McCULLOCH, LUCIA, A morphological and cultural note on the organism causing Stewart's disease of sweet corn, 440–441
McKAY, M. B., AND POOL, VENUS W., Field studies of Cercospora beticola, 119–136
MacMILLAN, H. G., An epidemic of corn smut following hail, 584–585
Macrophoma, 25; disease of figs, 24–27; Fici, 24, 26
Macrosporium, 104; gossypinum, 104; nigricantium, 104; solani, 573 579; sp. on mosaic-diseased pokeweed plants, 54; sydowianum, 235
Maples, wilt disease of, 80
Market disease of limes, 45
Marrow cabbage, disease of, 379
MARTIN, GEORGE W., Brown blotch of the Kieffer pear, 234–238; W. H., Dissemination of Septoria lycopersici Speg. by insects and pickers, 365–372
MASSEY, L. M., Dry rot of Gladiolus (abstract), 71–72; Experiments for the control of black spot and powdery mildew of roses, 20–23
MATZ, J., A method of making permanent mounts of entire colonies of some fungi in plate cultures, 446
Medusae, 326
MEIER, F. C., 299
Melampsora, 311, 326; abietis-canadensis, 328, 338; albertensis, 327; (Uredo) alpina, 340; arctica, 117, 328; betulae, 311, 330; betulinum, 330; bigelowii, 55, 58, 311, 326; bigelowii on willow, 311; caryophyllacearum, 330; cerastii, 330; elatina, 330; farlowii, 332; (Uredo) lini, 340; medusae, 326; occidentale, 327, 338; on Cerastium, 313; paradoxa, 326; salicis-albae, 55
Melampsorella, 311, 330; elatina, 114, 118; on Alsine, 313; on Stellaria, 313; sp? 331
Melampsoridium, 311, 330, 339; alni, 339; betulae, 330; betulinum on Betula spp., 58
Melampsoropsis, 311, 334, 339; abietina, 334; arctostaphyli, 339; cassandrae, 311, 334; chiogenis, 339; empetri, 339; ledicola, 334; piperiana, 339; pyrolae, 56, 59, 311, 335
MELCHERS, L. E., Physoderma (Zeae Maydis?) in Kansas, 38; and PARKER, JOHN H., Three varieties of hard winter wheat resistant to stem rust, 79; see POTTER, ALDEN A.
MELHUS, I. E., Seed treatment with hot solutions of formaldehyde and mercuric chlorid (abstract), 81
Melilotus alba, Phoma oleracea on, 392, 429
Micrococcus amylovorus, 3
Microphotography simplified, 447
Mildew, powdery, of the rose, 23
Mildews of Illinois, Burrill's monograph on, 3
Minutes of War Emergency Board of American Plant Pathologists, 193–195; of War Emergency Conference of pathologists of Central East, 242; of War Emergency Conference of plant pathologists of Northeast, 244; of War Emergency Conference of Great Plains plant pathologists, 301–303; of War Emergency Conference of plant pathologists of North Central East, 449–452
Mistletoe, spp., 62
Mite disease of litchi, 287; of tomato, 287
Mites, association of with new disease of Irish potato, 286
Mohortia, 217
Moniliaceae, 71
Monilia, sp., 550
Mosaic disease, mottled leaf, 75; of cucumber, 32, 74, 77; of cucurbits, 74; of Phytolacca decandra, 51–54; of potato, 450; of potato, transfer of by inarching, 485; of pumpkin, 75; of squash, 75; of tobacco, 51; white pickle; of cucumber, 32; varieties of beans susceptible to, 530

Moss, Auriculariaceae on, 216; Clavaria muscicola on, 209; Eocronartium on, 197; Jola on, 213
Mucor botryoides, 472; heterogamus, 472; racemosus, 73; sp., 73, 472
MUNN, M. T., Pathogenicity of Bacillus amylovorus (Burr.) Trev. for blossoms of the strawberry, 33
MURPHY, PAUL A., AND WORTLEY, E. J., Determination of the factors inducing leaf roll of potatoes, particularly in Northern climates, first progress report, 150–154
Mustard, family, host range of Phoma lingam in, 405; seedlings, results of inoculations of with Phoma from pure culture, 394
Mycogene (?), 473
Mycological laboratory, establishment of at Durban, South Africa, 38

Nail-head spot, 573, 579
Natal herbarium, 38
Navel orange, Washington, citrus canker on, 444
NEAL, DAVID C., see PELTIER, GEORGE L., 436
Necium, 332; farlowii, 311, 332
Neck rot of onion, 451; of onion sets, 70
Nectria ipomoeae, 73
Nematode galls on cucumber, 68; on sweet potato, 169
Nursery stock, domestic production of, 360; exclusion legislation, 360; introduced hosts for important parasites, 360; leaf diseases of, 63
Nut crops, diseases of, 503

Oat, blight, bacterial, 489; diseases, 450
Oats, "halo blight" of, 489
OBERLY, EUNICE R. (compiler,) AND SMITH, FLORENCE P., Literature on plant diseases, 39–41, 82–86, 138–140, 175–177, 250–255, 304–307, 376–378, 452–456, 505–506, 552–555, 586–587, 624–627
Onion, anthracnose of, 70; diseases, 451, 503; sets, neck rot of, 70
Oospora, 481; scabies, 70
Orange rust, aecial hosts, 28; telial hosts, 28
Ordonia, 217; orthobasidion, 217
ORTON, W. A., Organization and correlation of research and extension work in plant pathology (abstract), 78
OSMUN, A. VINCENT, Minutes of the War Emergency Conference of Plant Pathologists of the Northeast, 244–246; and KROUT, W. S., A new sclerotium disease of lawn grasses, 72
Ozonium omnivorum, 275

Pacific division of American Phytopathological Society, minutes of business meeting of, 503
Papaipema nitela, 275
Parasitism of Eocronartium musicola, 198–218
PARKER, JOHN H., see MELCHERS, LEO E.
Peach trees, decayed, Schizophyllum commune on, 616; wood roots of caused by Coriolus prolificans and C. versicolor, 616
Pear, blight, proof of bacterial nature of by J. C. ARTHUR, 3; Thomas Jonathan Burrill original investigator of, 2; chaffy spot of, 235; Kieffer, brown blotch of, 234; Septobasidium pendicellatum on, 215
Peas, Fusarium disease of, 77; wilt disease of, 77
Pedicularis groenlandica, 63
PELTIER, GEORGE L., AND NEAL, DAVID C., A convenient heating and sterilizing outfit for a field laboratory, 436–438
Penicillia, 472
Penicillium, sp., 73
Peniophora pubera, 215
Peridermium, 335; abietinum, 334; acicolum, 313, 320, 324; and related forms, index to uredinial and telial hosts of, 344; and related species, index to pycnial and aecial hosts of, 340; balsameum, 333; Betheli, 319; boreale, 115, 331; californicum 323; carneum, 293, 321, 325; cerebrum, 74, 313, 315, 337; coloradense, 114, 313; columnare, 115, 332; comptoniae, 292, 318; conorumpiceae, 335; consimile, 334; delicatulum, 320; elatinum, 313, 331; engelmanni, 335; ephedrae, 312, 337; filamentosum,

313, 317; fischer, 325; fragile, 322; fructigenum, 328; fusiforme, 74, 313, 316; giganteum, 315; globosum, 315; gracile, 336; guatemalense, 336; harknessi, 73; helianthi, 321; holwayi, 116, 336; inconspicuum, 322; ingenuum, 336; intermedium, 325; ipomoeae, 322; larcis, 330; mexicanum, 315; minutum, 335; montanum, 313, 324; oblongisporium, 323; occidentale, 312, 318; ornamentale, 115, 336; peckii, 329; pini minor, 337; pseudo-balsameum, 333; pustulatum, 329; pyriforme, 73, 319; ribicola, 323; rostrupi, 320; stalactiforme, 317; strobi, 312, 319; terebinthinaceae, 325
Peridermiums, 310; from Ohio, 292
Personals, 68, 137–138, 174, 298–299, 375, 448–449, 499–500, 551, 585, 622–623
Phoma, 25; blight of red cedar, 33; brassicae, 380; destructiva, 573, 579; lingam, cause of black-leg diseases of cabbage, 379-341; napobrassicae on rutabaga roots, 392, 429; oleracea, 381, 389, 429; rot on tomato, 573; siliquastrum, 389, 429; tests of pathogenicity of, 393
Physolospora cydoniae, 71
Physoderma in Kansas, 38; zeae-maydis on corn, 223
Phytopathological notes, 445–449, 489–500; problems, in their relation to foreign seed and plant introduction, 87–97; Society of America, abstracts of papers presented at Ninth annual meeting of, 68–82; Society of Japan, annals of, 444; specimens, preservation of in natural colors, 66
Phytopathologist, desired in Brazil, 585
Phytopathologists, relation of to plant disease survey work, 78, 219–228
Phytopathology, outline of history of, 487; report of the Chief Editor of, 182–186
Phytophthora, cactorum, 563; Faberi, 550; infestans on potatoes, 68; terrestria, 573, 579
Phytoptosis, a mite disease of the tomato, 287
Picnoporus cinnabarinus on decayed peach trees, 616
PIERCE, ROY C., Additional list of State and National Quarantines against the white pine blister rust, 484–486; Notes on Peridermiums from Ohio, 292–297
Pine, Cronartium ribicola on, 310; seed beds, fungus flora of, 470; white, blister rust, danger to West from, 503; white, incubation period of Cronartium ribicola on, 438
Pines, Cronartium cerebrum on, 74; Peridermium filamentosum on, 73; Peridermium pyriforme on, 73, 77; rust of, 292
Pinus, Razoumofskya larcicis on, 62; spp., rusts of, 292
Pistillaria, 209
Plant, diseases, literature on, 39–43, 82–86, 138–140, 175–177, 250–255, 304–307, 376–378, 452–456, 505–506, 552–555, 586–587, 624; disease survey, 452; disease survey work, 78
Plant, pathology, 78; in Japan, 445; in the Union of South Africa, 38; laboratory outlines in, 60; pathologists, deferred draft classification for, 374; pathologists, need of trained, 452; physiology, Palladin's (review), 373; quarantine, 360; quarantine legislation, 170–172
Plasmodiophora brassicae on cauliflower, 68
Platygloea hymenolepidis, 214; Peniophorae, 215
Plenodomus destruens, 73
Pleurotus serotinus, 165
Plowrightia morbosa on cherry, 68
Plum, blotch, 74; leaf spot of, 72
Pokeweed, mosaic disease of, 51
Polyporus, dichrous, 165; gilvus, 167; hirsutus, 166; obtusus, 166; pargamenus, 166; versicolor, 166
Pomegranate, Sterigmatocystis rot of, 546
POOL, VENUS W., see MCKAY, M. B.
Potato, Canadian, Verticillium on, 181; diseases, 450; diseases, importance of emergency work on, 503; late-blight resistant strain of, 445; leaf roll, cause of, 517; diagnosis of, 510; losses from in Bermuda, 508; on, 150; lightning injury to, 80, 270; mite, 286; mosaic disease of transferred by inarching, 495; pow-

dery scab of, 29; Rhizoctonia on, 240; Rhizoctonia disease of, 457; scab, 70, 81, 457; scab, literature, 268; scab organism, growth of at various hydrogen ion concentrations, 257; seed treatment, 70, 450; stalk borer, 275; troubles, obscure, 491; Verticillium albo-atrum on, 81; Verticillium and Fusarium diseases of, research project regarding, 504; verticillium disease of, 75
Potatoes, copper sulphate as disinfectant for, 240; seed treatment for, 457
POTTER, ALDEN A., Agricultural Index, 247–248; The effect of disinfection on the germination of cereal seed, 248, 249; and COONS, G. H., Differences between the species of Tilletia on wheat, 106–113; and COONS, G. H., The species of Tilletia on wheat (abstract), 72; and MELCHERS, LEO E., Persistance of sorghum types to covered kernel smut (abstract), 71
Powdery, mildew, of rose, 23; scab of potato, 29
Projects, cooperative research and leaders of, 504
Pseudomonas citri, 443; stewarti, 440
Puccinia, 216; beckmanniae, 169; clematidis, 583; coronata, 81, 450; dispersa, 450; glumarum, 583; graminis, 141, 450; graminis tritici, 143; graminis tritici compacti, 77, 142; impatientis, 169; montanensis, 583; myrtilli, 330; Scleriae, 164; scleriicola, 164; simplex, 450
Pucciniastrum, 311, 328, 339; abietichamaenerii, 328; agrimoniae, 339; arcticum, 339; epilobii, 57, 59, 328; galii, 339; goodyerae, 339; hydrangeae, 339; minimum, 329; myrtilli, 329; padi, 337; potentillae, 339; pustulatum, 57, 117, 311, 328; pyrolae, 57, 59, 339; sparsum, 336, 339; vacciniorum, 329
Puccinium minimum, 329
Pumpkin, mosaic disease of, 75
Pure culture bureau, 451
Pyrolae, rusts of, 56
Pyrolas, Melampsoropsis pyrolae on, 59; Pucciniastrum pyrolae on, 59
Pythiacystis citrophthora, 45; congesta, 74; solitaria, 74
Quarantine, plant, 360; against white pine blister rust, 484
Quince, Fabraea maculata on, 64; rot, 71

RAMSEY, G. B., Influence of moisture and temperature upon infection by Spongospora subterranea, 29–31
Ramularia, destructens, 562, 566, 570; panacicola, 562, 566, 570; root rots of ginseng, 557
RANKIN, W. HOWARD, see WHETZEL, H. H.
Rape, black-leg disease of, 381
Raspberry, red rust of, 27
RATHBUN, ANNIE E., The fungous flora of pine seed beds, 470–483
Razoumofskya, americana, 62; douglasii, 62; laricis, 62
REDDICK, DONALD, Lightning injury to grapevines, 298; Palladin's Plant Physiology (review), 373; Report of the Chief Editor of Phytopathology, 182–186; and STEWART, VERN B., 530–534
REYNOLDS, ERNEST SHAW, Two tomato diseases, 535–542
Rhizoctonia, 503; as a needle fungus, 62; microsclerotia, 24, 446; of potato, 240, 450; research project regarding, 504; solani, 446; sp., 573, 580
Rhizopus, nigricans, 73, 475, 482; sp., 573–580
RHOADS, ARTHUR S., Some new or little-known hosts for wood-destroying fungi, 164–167; HEDGCOCK, GEORGE G., BETHEL, ELLSWORTH, AND HARTLEY, CARL, Relationships of North American rusts other than Gymnosporangiums which attack conifers, 309–352
Rhynchosporium (Marssonia) diseases of barley, research project regarding, 504
Ribes, Cronartium occidentale on, 311; grossularia, quarantines against, 485; hibernation of spores of Cronartium ribicola on, 290; overwintering of Cronartium ribicola on, 617
ROBERTS, JOHN W., Plum blotch (abstract), 74

Root, rot, Thielavia, 77; rots of corn, survey of, 449; rots of ginseng, Ramularia, 557
RORER, J. B., Enfermedades y plagas del cacao en Ecuador y metodes modernos apropiados al cultivo del cacao (review), 550
Rose, black spot of, 20
ROSEN, H. R., Notes on some methods and terms employed in studying the Uredinales, 581
ROSENBAUM, J., The origin and spread of tomato fruit rots in transit, 572–580
Rot, blossom end, of tomato, 538; of quince, 71; surface storage of sweet potatoes, 73
Rots, of timber, research project regarding, 504; tomato fruit, origin and spread of in transit, 572
Rubus, orange rust of, 27–29
RUMBOLD, CAROLINE, Laboratory notes on cultures of Endothia parasitica, A. and A. Notes on the color reactions of reproductive and vegetative hyphae of E. parasitica when treated with chemicals, 495–499
Rust, currant, 294; of beans, 76; of blackberry, 27; of corn, 449; of ginseng root, 557; of red raspberry, 27; of sweet fern, 293; of wheat, 354; on Austrian pine, 292; on barley, 142; on grass seeds, 169; orange, of Rubus 27; stem, of wheat, 79, 142; white pine blister, danger to West from, 503; white pine blister, quarantines against, 484
Rusts, fern, Hyalospora, 37; forest tree, overwintering of, 551; in Illinois, Burrill's Monograph on, 3; of conifers, North American, 309; of forest trees, 115; of grain, 450; of Pinus, 292; on conifers, 339; on Pinus, 311; Porto Rican, 163; Some methods and terms employed in studying, 581–583; stem, 312
Rutabaga roots, Phoma napobrassicae on, 392
Rye diseases, 450

Saccoblastia, 217
Salsify, Verticillium disease of, 15; diseases of, 75
Satsuma orange, immunity of to citrus canker, 443
Scab, of potato, 70, 81, 450, 457; of wheat, 450; powdery, of potato, 29
Scald, appleair, movement as a factor in prevention of, 69
Scale insects, Septobasidium on, 215
Schizophyllum commune, 165; on decayed peach trees, 616
Sclerotinia libertiana, 563
Sclerotium, 72; bataticola, 73; disease of lawn grass, 72; rolfsii, 573–580; rolfsii on wheat, 64; tulifarum, 75
Seed, bed, wilt resistance in, 5; beds, pine, fungus flora of, 470; treatment of, 81, 450; treatment for smut of cereals, 502; treatment of grain, 450; tuber treatment for potatoes, 457
Seedlings, infected with Phoma lingam, transmittal of disease by, 430; inoculation of with Phoma lingam, 397
Seeds, how Phoma lingam is carried over in, 430; infected with Phoma lingam, treatment of, 430; inoculated with Phoma lingam, 400
Septobasidium, 217; on scale insects, 216; pedicellatum, 215; lycopersici, 365–372
Septoria blight of tomato, 451; mirabilis, 333
SHEAR, C. L., Pathological aspects of the Federal fruit and vegetable inspection service, 155–160; Report of the Ninth Annual Meeting of the American Phytopathological Society, 178–182
SMITH, FLORENCE P., see OBERLY, EUNICE R.; LOREN B., Insect transmission of spinach blight (abstract), 74; Ralph E., The beet leaf hopper and the curly leaf disease that it transmits (review), 168
Smut, cereal, explosions of, 502; cereal, removal of by suction fans, 502; corn, epidemic of following hail, 584; kernel, of sorghum, 71; loose, of wheat, 69; of barley, Japanese article on, 445; of cereals, 502; of corn, 449; of figs, a Sterigmatocystis, 545; of onion, 451
Smuts of cereals, 502; control measures for, 502; project for control of, 504

Soft scald, of apples, 68; of cherries, 68
Soil fungi, dissemination of, 479; fungi, grubs and earth-worms carriers of, 480; investigations in connection with fungus flora, 470; rot, 573, 579, 589
Solanaceae spp., Verticillium on, 18
Solanum, spp., Verticillium diseases of, 75; tuberosum, scab of, 257
Sooty blotch fungus, 235
Sorghum, kernel smut of, 71
Soy bean cake substitute for peptone in preparations of nutrient media, Japanese article on, 445
SPAULDING, PERDEY, The overwintering of Cronartium ribicola on Ribes, 617–619
Specimen exchange, 451
Sphacelotheca sorghi, 71
Sphaeria lingam, 388, 428
Sphaeronema, fimbriatum, 73; sp., 550
Sphaeropsis malorum, 71
Sphenospora pallida, 582
Spicaria (silvatica), 475–482; sp. 473, 482
Spinach blight, 74
Spongospora subterranea, influence of moisture and temperature upon infection by, 29
Spore trap, automatic, 542
SPRAGG, F. A., see COONS, G. H.
Spray materials, commercial data on value of, 451
Squash, mosaic disease of, 75
STAKMAN, E. C., AND HOERNER, G. R., Puccinia graminis tritici-compacti in southern United States, 77; The occurrence of Puccinia graminis tritici-compacti in the southern United States, 141–149
STANFORD, E. E., see WOLF, FREDERICK A.
Stem rust of wheat, 79
Stereum rameale, 167; sp. 165
Sterigmatocystis, rot of pomegranates, 546; smut of figs, 545
Sterilizing and heating outfit for a field laboratory, 436
STEVENS, F. L., Concerning a tubercular structure at the base of certain Hyphomycetes (abstract), 71; H. E., Lightning injury to citrus trees in Florida, 283–285
STEWART, F. C., The Phoma blight of red cedar, 33; V. B., Dusting experiments, in 1917, 63–64; V. B. Exclusion legislation and fruit tree production, 360–364; V. B., see JAGGER, I. C.
Stewart's disease of sweet corn, organism causing, 440
Stinking smut, 106
STONE, R. E., Incubation period of Cronartium ribicola on the white pine, 438–440; Orange rust of Rubus in Canada, 27–29.
Storage, diseases, coöperative inspection work on, 451; rots, surface, of sweet potato, 73
Strawberry, pathogenicity of Bacillus amylovorus for blossoms of, 33
Sugar beet, Cercospora beticola on, 119; seed, disinfection, 122; leaf spot, crop rotation for, 132; diseases of, 503; research project regarding curly top of, 504
Sweet, corn, organism causing Stewart's disease of, 440; fern, rust of, 293; potato, nematode on, 169; potato, surface-storage rot of, 73

Thekospora areolata, 337
Thielavia, basicola, 559; root rot, 77
THOMAS, H. E., Cultures of Aecidium tubulosum and A. passifloriicola, 163–164
Tilletia, caries, 106; laevis, 72, 106, 247; laevis on wheat, 72, 106, 247; tritici, 72, 106, 247
Timebr rots and inspection, research problem regarding, 504
Tobacco, lightning injury of, 276; mosaic disease of, 51; Thielavia root rot of, 77; wilt disease of, 76
TOLAAS, A. G., see BISBY, G. R.
Tomato, anthracnose on, 573; black spot on, 573; blossom end rot of, 538; Buckeye rot on, 573; diseases, 451, 535; early blight of, 69, 365; effect of wrapping fruit of on spread of disease in, 573; fruit rots, origin and spread of in transit, 572; Fusarium wilt of, 80; leaf chlorosis, 534; leaf mold of, 69; lightning injury of, 280; nail-head spot on,

573; Phoma rot on, 573; ripening of delayed by spraying with Bordeaux mixture, 69; soil rot on, 573; white rot on, 573; wilt fungus, 10; wilt resistance, 8
Transportation diseases, coöperative inspection work on, 451
TRELEASE, WILLIAM. Winter botany, (review), 620
Trichoderma koningi, 472
Triticum, compactum, 106; varieties, Puccinia graminis tritici-compacti on, 143
Truck crop diseases, 450, 503
Tuberculariaceae, 71; fici, 24
Tulips, disease of caused by Botrytis parasitica, 75
Typhula musicola, 197

Uredinales, 216; some methods and terms used in studying, 582; terminology of, 582; western, 73
Uredinopsis, 216, 311, 333; americana, 333; atkinsonii, 333; copelandi, 333; mirabilis, 333; on ferns, 217; osmundae, 333; phegopteridis, 333; pteridos, 333; struthiopteridis, 333
Uredo, bigelowii, 326; cassandrae, 334; (Caeoma) confluens, 340; holwayi, 338; ledicola, 334; minima, 329; pustulata, 328; quercus, 315
Uromyces, 216; appendiculatus, 76; scleriae, 164
Ustilago, tritici, 69; zeae, 584

VAUGHAN, R. E., AND BRANN, J. W., Potato seed treatment, 70
Vegetables, Federal inspection of, 155
Venturia, inaequalis on green apples, 68 pyrina on green pears, 68
Verticillium, 80; albo-atrum, 81; and Fusarium diseases of potato, research project regarding, 504; diseases, 15–19, 75; diseases of barberry, 75; diseases of eggplant, 75 81; diseases of potato, 75; 81

WALKER, J. C., Control of neck rot and anthracnose of onion (abstract), 70; Notes on resistance of onions to anthracnose, 70
Walnut blight control, research project regarding, 504
War Emergency, Board of American plant pathologists, minutes of Washington conference of, 193–195; conference of central east pathologists, 242; conference of plant pathologists of Northeast, 244; conference of plant pathologists of north central east, 449; conference of southern plant pathologists, 190–193
WEIMER, J. L., see HARTER, L. L.
WEIR, JAMES R., New hosts for Razoumofskya laricis, 62–63; and HUBERT, ERNEST E., A note on Hyalosporae, 37–38; and HUBERT, ERNEST E., Cronartium coleosporioides on Pedicularis groenlandica, 63; and HUBERT, ERNEST E., Notes on the overwintering of forest-tree rusts, 55–59; and HUBERT, ERNEST, Notes on forest-tree rusts, 114–118
Wet rot of cacao, 550
Wheat, loose smut of, 69; puccinia graminis tritici-compacti on, 142; rust of, 354; scab, 450; Sclerotium rolfsii on, 64; smut of, Japanese article on, 445; stem rust of, 107; Tilletia on, 72, 106, 247
WHETZEL, H. H., An outline of the history of Phytopathology (review), 487–488; The Botrytis blight of golden seal (abstract), 75; HESLER, LEX R., GREGORY, CHAS. T., AND RANKIN, W. HOWARD, Laboratory outlines in plant pathology, 60–61
White-pine blister rust, 290; danger to west from, 503; quarantines against, 484
White rot, 573
Willow, Melampsoropsis bigelowii on, 59, 311
WILSON, O. T., Notes upon a market disease of limes, 45–50; a storage fermentation of dasheens, 547–549
Wilt, disease of garden peas, 77; disease of maples, 80; disease of eggplant, 15; Fusarium, of tomato, 80; of tobacco, 76; resistance in the seed bed, 5–14
Winter botany, by William Trelease (review), 620

Witches' brooms, 114; on incense cedar, 161

WOLF, FREDERICK A., AND STANFORD, E. E., A Macrophoma disease of figs, 24–27

Wood-destroying fungi, 164

Wood, diseased, imbedding and staining of, 433; rots of peach trees caused by Coriolus prolificans and C. versicolor, 616

WORTLEY, E. J., Potato leaf roll: Its diagnosis and cause, 508–529; see MURPHY, PAUL A.

Yeast, 474

Yellows of cabbage, 451

Zeae maydis, 38

ZIMM, L. A., A wilt disease of maples. 80

ZINSSMEISTER, C. L., Ramularia root rots of ginseng, 557–571

Zygorrhynchus vuillemini, 472